



CHEMELYNE

SPECIALITIES PVT. LTD.



**CHEMELYNE
SPECIALITIES
PVT. LTD.**

Manufacturer & Exporter of :

- ★ PAINT DRIERS
- ★ FRP DRIERS
- ★ LIQUID PVC STABILIZERS



We are glad to introduce our Company **CHEMELYNE SPPECIALITIES PVT. LTD.** , one of the major **MANUFACTURER AND EXPORTER OF Paint Driers and Liquid PVC Stabilizers** in India. We are an ISO 9001:2015 Certified company which provides the best quality of driers for **PAINT , FRP AND INK INDUSTRY**. We have our own manufacturing plant in Jhajjar, Haryana near Delhi border. We have a modern technology of manufacturing to ensure quality products. Each and every process is closely monitored and inspected by the team of the highest qualified people.



We have been an established and popular company with an excellent track record for the best customer satisfaction. We have never compromised on the quality and the services provide to the customer. We believe in keeping the customers happy and providing them with products at a very competitive price. Our **CHEMELYNE** Team and our staff will guide you with their best ideas by keeping in constant touch with your company and informing about the market trends.

PRODUCT RANGE

PAINT DRIERS

FRP DRIERS

LIQUID PVC STABILIZERS



OUR ACTIVE PARTICIPATION IN VARIOUS COATING SHOWS:

PAINTINDIA



ICERP

International Conference and Exhibition on Reinforced Plastics

We are active member of various Paint & Coating organisations :
ISSPA,IPCA,IPA etc



OUR ACHIEVEMENTS



PAINT DRIERS FOR PAINT & INK INDUSTRY

NAME OF THE PRODUCTS	APPLICATION		COLOUR & APPEARANCE	METAL (% AGE)	PACKING	
	PAINT	INK			BARREL	DRUM
Cobalt Octoate 6%	✓	✓	Clear Violet Liquid	06 ± 0.3	190 KG	22 KG
Cobalt Octoate 8%	✓	✓	Clear Violet Liquid	08 ± 0.3	190 KG	22 KG
Cobalt Octoate 10%	✓	✓	Clear Violet Liquid	10 ± 0.3	200 KG	22 KG
Cobalt Octoate 12%	✓	✓	Clear Violet Liquid	12 ± 0.3	200 KG	22 KG
Calcium Octoate 3%	✓	✓	Colorless To Straw	03 ± 0.3	180 KG	22 KG
Calcium Octoate 5%	✓	✓	Colorless To Straw	05 ± 0.3	180 KG	22 KG
Calcium Octoate 10%	✓	✓	Colorless To Straw	10 ± 0.3	200 KG	22 KG
Lead Octoate 18%	✓	✓	Pale Yellow	18 ± 0.3	200KG	22 KG
Lead Octoate 24%	✓	✓	Pale Yellow	24 ± 0.3	225 KG	25 KG
Lead Octoate 32%	✓	✓	Pale Yellow	32 ± 0.3	225 KG	25 KG
Lead Octoate 36%	✓	✓	Pale Yellow	36 ± 0.3	250 KG	25 KG
Manganese Octoate 6%	✓	✓	Dark Brown Liquid	06 ± 0.3	190 KG	22 KG
Manganese Octoate 8%	✓	✓	Dark Brown Liquid	08 ± 0.3	190 KG	22 KG
Manganese Octoate 10%	✓	✓	Dark Brown Liquid	10 ± 0.3	200 KG	22 KG
Zinc Octoate 6%	✓	✓	Colorless To Pale Yellow	06 ± 0.3	180 KG	22 KG
Zinc Octoate 8%	✓	✓	Colorless To Pale Yellow	08 ± 0.3	180 KG	22 KG
Zinc Octoate 12%	✓	✓	Colorless To Pale Yellow	12 ± 0.3	200 KG	22 KG
Zinc Octoate 18%	✓	✓	Colorless To Pale Yellow	18 ± 0.3	200 KG	22 KG
Zirconium Octoate 6%	✓	✓	Light Yellow Liquid	06 ± 0.3	180 KG	22 KG
Zirconium Octoate 12%	✓	✓	Light Yellow Liquid	12 ± 0.3	200 KG	22 KG
Zirconium Octoate 18%	✓	✓	Light Yellow Liquid	18 ± 0.3	200 KG	22 KG
Zirconium Octoate 24%	✓	✓	Light Yellow Liquid	24 ± 0.3	200 KG	22 KG


PAINT DRIERS FOR PAINT & INK INDUSTRY

NAME OF THE PRODUCTS	APPLICATION		COLOUR & APPEARANCE	METAL (% AGE)	PACKING	
	PAINT	INK			BARREL	DRUM
Combination C-154 (Cobalt, Lead, Manganese)	✓	✓	Brown Liquid	15 ± 0.3	180 KG	22 KG
Combination C-25 (Cobalt, Lead, Manganese)	✓	✓	Brown Liquid	20 ± 0.3	200 KG	22 KG
Combination W-655 (Cobalt, Zirconium, Calcium)	✓	✓	Violet Liquid	9 ± 0.3	200 KG	22 KG
Combination CS-755 (Cobalt, Lead, Manganese)	✓	✓	Violet Liquid	9 ± 0.3	200 KG	22 KG
CS-901 (Combination Driers)	✓	✓	Violet Liquid	9 ± 0.3	200 KG	22 KG
Strontium Octoate 10%	✓	✓	Colorless to Straw	10 ± 0.3	200 KG	22 KG
Strontium Octoate 12%	✓	✓	Colorless to Straw	12 ± 0.3	200 KG	22 KG
Barium Octoate 10%	✓	✓	Colorless to Straw	10 ± 0.3	200 KG	22 KG
Barium Octoate 12%	✓	✓	Colorless to Straw	12 ± 0.3	200 KG	22 KG
Barium Octoate 15%	✓	✓	Colorless to Straw	15 ± 0.3	200 KG	22 KG
CS-BXPB (Replacement of Lead)	✓	✓	Violet Liquid	10 ± 0.3	200 KG	22 KG
Copper Octoate 6%	✓	✓	Greenish	6 ± 0.3	190 KG	22 KG
Copper Octoate 8%	✓	✓	Greenish	6 ± 0.3	190 KG	22 KG
Copper Octoate 10%	✓	✓	Greenish	8 ± 0.3	200KG	22KG
CSZ 18% (Replacement of Zirconium)	✓	✓	Colorless to Straw	10 ± 0.3	200 KG	22 KG
MEK Oxime (Anti-Skinning Agent)	✓	✓	Water Clear	18 ± 0.3	190 KG	22 KG



FRP DRIERS (ACCELERATORS) FOR FRP & UNSATURATED POLYESTER RESIN INDUSTRY


NAME OF THE PRODUCTS	COLOUR & APPEARANCE	METAL (% AGE)	PACKING	
			BARREL	DRUM
Cobalt Octoate 2% FRP	Clear Violet Liquid	02 ±0.3	180 KG	22 KG
Cobalt Octoate 3% FRP	Clear Violet Liquid	03 ± 0.3	190 KG	22 KG
Cobalt Octoate 6% FRP	Clear Violet Liquid	06 ± 0.3	190 KG	22 KG
Cobalt Octoate 12% FRP	Clear Violet Liquid	12 ± 0.3	200 KG	22 KG
Cobalt Octoate 2% FRP 694	Clear Violet Liquid	02 ±0.3	180 KG	22 KG
Cobalt Octoate 3% FRP 694	Clear Violet Liquid	03 ± 0.3	190 KG	22 KG
Cobalt Octoate 6% FRP 694	Clear Violet Liquid	06 ± 0.3	190 KG	22 KG
Cobalt Octoate 12% FRP 694	Clear Violet Liquid	12 ± 0.3	200 KG	22 KG
Cobalt Octoate 3% FRP (CR)	Clear Violet Liquid	03 ± 0.3	190 KG	22 KG
Cobalt Octoate 6% FRP (CR)	Clear Violet Liquid	06 ± 0.3	190 KG	22 KG
Cobalt Octoate 12% FRP (CR)	Clear Violet Liquid	12 ± 0.3	200 KG	22 KG
Cobalt Octoate 2% (101)	Clear Violet Liquid	02 ±0.3	180 KG	22 KG
Cobalt Octoate 3% (101)	Clear Violet Liquid	03 ± 0.3	180 KG	22 KG
Cobalt Octoate 6% (101)	Clear Violet Liquid	06 ± 0.3	190 KG	22 KG
Cobalt Octoate 12% (101)	Clear Violet Liquid	12 ± 0.3	200 KG	22 KG
Colorless Cobalt	Clear Violet Liquid	-	180 KG	22 KG



LIQUID PVC STABILIZER

Chemelyne Specialities Pvt. Ltd. is also engaged into the manufacturing of Liquid PVC Stabilizers and Kickers (Activators). The liquid mixed metal stabilizers are used in several PVC flexible applications like calendering films ,extruded profiles, injection moulding soles, PVC footwear, extrusion hoses and plastisoles like flooring, wall covering, artificial leather cloth, coated fabrics and toys.

GRADE	METAL TYPE	STABILIZER/ KICKER	PHYSICAL FORM	NON VOLATILE CONTENT	PACKING (KG)	APPLICATION
CS-6200	BARIUM-CADMIUM - ZINC	STABILIZER	CLEAR TO PALE YELLOW LIQUID	52±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR PLASTISOL, FLEX,CALENDERING,FLOORING, COMPOUNDS,PVC FILMS ETC.
CS-6204	BARIUM-CADMIUM-ZINC	STABILIZER	CLEAR TO PALE YELLOW LIQUID	32±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR PLASTISOL, FLEX,CALENDERING,FLOORING, COMPOUNDS,PVC FILMS ETC.
CS-6300	BARIUM-CADMIUM-ZINC	STABILIZER	CLEAR TRANSPARENT AMBER LIQUID	54±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR PLASTISOL, FLEX,CALENDERING,FLOORING, COMPOUNDS,PVC FILMS ETC.
CS-6301	BARIUM-CADMIUM-ZINC	STABILIZER	CLEAR TRANSPARENT LIGHT AMBER LIQUID	28±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR PLASTISOL, FLEX,CALENDERING,FLOORING, COMPOUNDS,PVC FILMS ETC.
CS-9044	BARIUM - CADMIUM - LEAD	STABILIZER	CLEAR TRANSPARENT PALE YELLOW VISCOUS LIQUID	67±4 (110°±5 – 1 HOUR)	200 KG	STABILIZER FOR FLEXIBLE CALENDERING , EXTRUSION AND BLOWN FILM, FLEXIBLE AND SUCTION HOSE PIPE.
CS-7600	BARIUM-ZINC	STABILIZER	CLEAR TRANSPARENT AMBER LIQUID	72±4 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR ARTIFICIAL LEATHER CLOTH, EXTRUSION, MOULDING COMPOUNDS AND PVC COATED FABRICS.
CS-7100	BARIUM-ZINC	STABILIZER	CLEAR TRANSPARENT LIGHT YELLOW LIQUID	45±4 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR ARTIFICIAL LEATHER CLOTH, EXTRUSION, MOULDING COMPOUNDS AND PVC COATED FABRICS.
CS-7700	BARIUM - ZINC	STABILIZER (ODOUR LESS)	CLEAR TRANSPARENT TO PALE YELLOW LIQUID	41±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR ARTIFICIAL LEATHER CLOTH,GARDEN PIPE,HOSE PIPES AND PVC COATED FABRICS.
CS-6670	BARIUM - ZINC	STABILIZER	CLEAR TRANSPARENT TO PALE YELLOW LIQUID	40±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR ARTIFICIAL LEATHER CLOTH,GARDEN PIPE,HOSE PIPES AND PVC COATED FABRICS.
CS-7277	BARIUM - ZINC	STABILIZER	CLEAR TRANSPARENT TO PALE YELLOW LIQUID	70±4 (110°±5 – 1 HOUR)	200 KG	HIGHLY CONCENTRATED STABILIZER FOR ARTIFICIAL LEATHER CLOTH, GARDEN PIPE,HOSE PIPES AND PVC COATED FABRICS.
CS-9020	POTASSIUM - ZINC	MEDIUM KICKER	CLEAR TRANSPARENT PALE YELLOW LIQUID	50±4 (110°±5 – 1 HOUR)	190 KG	MEDIUM KICKER FOR FOAMED PLASTISOL ,LEATHER CLOTH WITH UNIFORM CELL STRUCTURE.
CS-9048	POTASSIUM - ZINC	FAST KICKER	CLEAR TRANSPARENT VISCOUS PALE YELLOW LIQUID	85±4 (110°±5 – 1 HOUR)	200 KG	FAST KICKER FOR FOAMED PLASTISOL , LEATHER CLOTH WITH UNIFORM CELL STRUCTURE.
CS-9050	POTASSIUM - ZINC	MEDIUM KICKER	CLEAR TRANSPARENT PALE YELLOW LIQUID	48±3 (110°±5 – 1 HOUR)	190 KG	MEDIUM KICKER FOR FOAMED PLASTISOL AND LEATHER CLOTH WITH UNIFORM CELL STRUCTURE.
CS-9059	BARIUM-ZINC	MEDIUM KICKER	CLEAR TRANSPARENT AMBER LIQUID	56±4 (110°±5 – 1 HOUR)	190 KG	MEDIUM KICKER FOR FOAM LEATHER CLOTH ,COMPOUND WITH UNIFORM CELL STRUCTURE & GOOD THERMAL STABILITY
CS-9299	BARIUM-ZINC	FAST KICKER	CLEAR TRANSPARENT AMBER LIQUID	60±3 (110°±5 – 1 HOUR)	200 KG	KICKER FOR FOAM LEATHER CLOTH , COMPOUND WITH UNIFORM CELL STRUCTURE & GOOD THERMAL STABILITY
CS-9066	BARIUM - ZINC	MEDIUM KICKER	CLEAR TRANSPARENT VISCOUS AMBER LIQUID	79±3 (110°±5 – 1 HOUR)	200 KG	KICKER FOR FOAM LEATHER CLOTH , COMPOUND WITH UNIFORM CELL STRUCTURE & GOOD THERMAL STABILITY
CS-9229	CADMIUM - ZINC	FAST KICKER	CLEAR TRANSPARENT TO PALE YELLOW LIQUID	65±4 (110°±5 – 1 HOUR)	200 KG	KICKER FOR FOAM LEATHER CLOTH , COMPOUNDS AND EXTRUSION.



CHEMELYNE

SPECIALITIES PVT. LTD.

BUSINESS NETWORK



- ★ DUBAI
- ★ SAUDI ARABIA
- ★ SOUTH AFRICA
- ★ KENYA
- ★ TURKEY
- ★ QATAR
- ★ EGYPT
- ★ MALAYSIA
- ★ SINGAPORE
- ★ VIETNAM
- ★ PHILIPPINES
- ★ SRILANKA
- ★ NEPAL
- ★ BANGLADESH
- ★ THAILAND
- ★ JAPAN
- ★ CHINA
- ★ LEBANON

CHEMELYNE SPECIALITIES PVT. LTD.

Off.: House No 7, 1st Floor, Paschim Enclave,
Peera Garhi, New Delhi-87 (INDIA)

Factory: Khasra No. 2/13, Village Bhaproda, Tehsil Bahadurgarh,
Distt. Jhajjar, Haryana-124501 (INDIA)

Mob.: +91-7838194601, +91-9311513466 Tel.: 011-27018107

E-mail: info@chemelynespecialities.com



www.chemelynespecialities.com